IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Maria Adele Pacciarini et al Examiner: Ganapathy Krishnan

Serial No · 09/786.998 Art Unit: 1623

Filed: June 14, 2001 Docket: 17815

November 7, 2011

For: USE OF METHOXYMORPHOLINO Dated:

DOXORUBICIN FOR THE TREATMENT

OF A LIVER TUMOR

Confirmation No.: 1122

Commissioner for Patents P. O. Box 1450

Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with 37 C.F.R §§1.97 and 1.98, it is requested that the following references, which are also listed on the attached Information Disclosure Citation, be made of record in the above-identified case.

- 1. De Takats P.G. et al., "Phase IB Study of Methoxymorpholinodoxorubicin (PNU152243; FCE 23762) Administered in a 3 or 4 Weekly Schedule", Clinical Pharmacology and Phase I Studies (September 18, 1997), Abstract;
- 2. Quintieri L. et al., "Delivery of Methoxymorpholinyl Doxorubicin by Interleukin 2-Activated NK Cells: Effect in Mice Bearing Hepatic Metastases", British Journal of Cancer 79(7/8):1067-1073 (March 1999):

CERTIFICATE OF ELECTRONIC FILING

I hereby certify that this correspondence is being deposited with the United States Patent & Trademark Office via Electronic Filing through the United States Patent and Trademark Office ebusiness website.

Dated: November 7, 2011

- Vasey P.A. et al., "Phase I Clinical and Pharmacokinetic Study of 3'-Deamino-3'-(2-Methoxy-4-Morpholiny)Doxorubicin (FCE 23762)", Cancer Research 55(10):2090-2096 (May 15, 1995);
- Taub R.N. et al., "Phase II Study of Methoxymorpholinodoxorubicin in Advanced Sarcomas (PNU/S2243 (FCE 23762))", Proceedings of the Annual Meeting of the America Society of Clinical Oncology Vol. 16 (May 17-20, 1997). Abstract:
- Robert J. et al., "Pharmacokinetics and Metabolism of Anthracyclines", Cancer Surveys 17:219-252 (1993);
- Rougier P. et al., "Intérêt Des Chimiothérapies Loco-Régionales Par Les Anthracyclines", Pathologies Biologie 35(1):123-128 (1987);
- Kirk S. et al., "Irresectable Hepatoma Treated by Intrahepatic Iodized Oil Doxorubicin Hydrochloride: Initial Results", Surgery 109(6):694-697 (1991);
- Carr B.I. et al., "Prolonged Survival With Chemotherapy Alone for Hepatocellular Carcinoma (HCC) With Intra-Arterial Chemotherapy" Proceedings of the American Society of Clinical Oncology Vol. 13 (March 1994), Abstract;
- Carr B.I. et al., "Phase II Study of Spherex (Degradable Starch Microspheres)
 Injected into the Hepatic Artery in Conjunction With Doxorubicin and Cisplatin
 in the Treatment of Advanced-Stage Hepaccellular Carcinoma: Interim
 Analysis", Seminars in Oncology 24(2), Suppl 6 pp. S6-97-S6-99 (April 1997);
- Lai E.C.S., "Postoperative Adjuvant Chemotherapy After Curative Resection of Hepatocellular Carcinoma: A Randomized Controlled Trial", Arch. Surg. 133:183-188 (February 1998):
- Ripamonti M. et al., "In Vivo Anti-Tumour Activity of FCE 23762, a Methoxymorpholinyl Derivative of Doxorubicin Active on Doxorubicin-Resistant Tumour Cells", Br. J. Cancer 65:703-707 (1992);
- Ripamonti M. et al., "Morpholinylanthracyclines: Cytotoxicity and Antitumor Activity of Differently Modified Derivatives", *Investigational New Drugs* 14:139-146 (1996);
- Capranico G. et al., "Influence of Structural Modifications at the 3' and 4'
 Positions of Doxorubicin on the Drug Ability to Trap Topoisomerase II and to
 Overcome Multidrug Resistance", Molecular Pharmacology 45:908-915 (1994);

- 14. Winette T.A. et al., "The Role of Methoxymorpholino Anthracycline and Cyanomorpholino Anthracycline in a Sensitive Small-Cell Lung-Cancer Cell Line and its Multidrug-Resistant but P-Glycoprotein-Negative and Cisplatin-Resistant Counterparts", Cancer Chemother Pharmacol. 35:345-348 (1995);
- Duran G.E. et al., "Differential Single-Versus Double-Strand DNA Breakage Produced by Doxorubicin and its Morpholinyl Analogues", Cancer Chemother Pharmacol. 38:210-216 (1996);
- Geroni C. et al., "L1210 Cells Selected for Resistance to Methoxymorpholinyl Doxorubicin Appear Specifically Resistant to this Class of Morpholinyl Derivatives", Br. J. Cancer 69:315-319 (1994);
- Bakker M. et al., "Mechanisms for High Methoxymorpholino Doxorubicin Cytotoxicity in Doxorubicin-Resistant Tumor Cell Lines", Int. J. Cancer 73:362-366 (1997);
- Bielack S.S. et al., "Structurally Modified Anthracyclines Retain Activity in a Cell Line With Simultaneous Typical and Atypical Multidrug Resistance", Anticancer Research 15:1279-1284 (1995):
- Colleoni et al., "Arterial Chemoembolization With Epirubicin in Unresectable Hepatocellular Carcinoma in Cirrhosis", Ann. Oncol. Vol. 5(Suppl 8) (1994), Abstract;
- Lai C.L. et al., "Doxorubicin Versus No Antitumor Therapy in Inoperable Hepatocellular Carcinoma. A Prospective Randomized Trial", Cancer Vol. 62/3):479-483 (August 1, 1988), Abstract;
- Shepherd FA et al., "Treatment of Primary Hepatocellular Carcinoma by Hepatic Arterial Infusion of 4'-Epirubicin (Eng.)", Reg Cancer Treat Vol. 3(4):197-201 (1990), Abstract;
- Ono T. et al., "Adjuvant Chemotherapy With Epirubicin and Carmofur After Radical Resection of Hepatocellular Carcinoma: A Prospective Randomized Study", Semin Oncol. Vol. 24(2 Suppl 6):S6-18-S6-25 (April 1997), Abstract;
- Wassermann K. et al., "Effects of Morpholinyl Doxorubicins, Doxorubicin, and Actinomycin D on Mammalian DNA Topoisomerases I and II", Mol. Pharmacol. 38(I):38-45 (July 1, 1990), Abstract;
- Takayasu Y. et al., "Merits and Demerits of Arterially Administered Large-Dose Anticancer Agent, Lipiodol Emulsion", Cancer and Chemotherapy 15(8-Part-II):2562-2567 (1988);

- English-language machine translation of Russian Patent Application No. RU 2 065 307, published August 20, 1996; and
- International Search Report dated May 3, 2000 received from the European Patent Office from related International Patent Application No. PCT/EP99/06298.

Applicants are submitting a copy of the above-cited references required by 37 C.F.R. § 1.98 (a)(2)(i) and (ii), together with a copy of the International Search Report.

Inasmuch as this Information Disclosure Statement is being submitted in accordance with the schedule set out in 37 C.F.R. §1.97(e), please charge the \$180.00 fee to deposit account no. 19-1013/SSMP.

Respectfully submitted,

Peter I. Bernstein Registration No. 43,497

Scully, Scott, Murphy & Presser, P.C. 400 Garden City Plaza, Suite 300 Garden City, New York 11530 (516) 742-4343 PIB:dk

INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)		Atty. Docket No. 17815	Application No. 09/786,998	
		Applicants Maria Adele Pacciarini et al.		
		Filing Date June 14, 2001	Group Art Unit 1623	
OTHER (Including Author, Title, Date, Pertinent Pages, Etc.)				
	De Takats P.G. et al., "Phase IB St Administered in a 3 or 4 Weekly S 1997), Abstract	udy of Methoxymorpholinodoxorubici chedule", Clinical Pharmacology and	n (PNU152243; FCE 23762) Phase I Studies (September 18,	
	Effect in Mice Bearing Hepatic Me	al., "Delivery of Methoxymorpholinyl Doxorubicin by Interleukin 2-Activated NK Cells: Bearing Hepatic Metastases", <i>British Journal of Cancer 79(7/8)</i> :1067-1073 (March 1999)		
	Vasey P.A. et al., "Phase I Clinical and Pharmacokinetic Study of 3'-Deamino-3'-(2-Methoxy-4-Morpholinyl)Doxorubicin (FCE 23762)", Cancer Research 55(10):2090-2096 (May 15, 1995)			
	Taub R. N. et al., "Phase II Study of Methoxymorpholinodoxorubicin in Advanced Sarcomas (PNU/S2243 (FCE 23762))", Proceedings of the Annual Meeting of the America Society of Clinical Oncology Vol. 16 (May 17-20, 1997), Abstract			
	Robert J. et al., "Pharmacokinetics and Metabolism of Anthracyclines", Cancer Surveys 17:219-252 (1993)			
	Rougier P. et al., "Intérêt Des Chimiothérapies Loco-Régionales Par Les Anthracyclines", <i>Pathologies Biologie 35(1)</i> :123-128 (1987)			
	Kirk S. et al., "Irresectable Hepatoma Treated by Intrahepatic Iodized Oil Doxorubicin Hydrochloride: Initial Results", Surgery 109(6):694-697 (1991)			
	Carr B.I. et al., "Prolonged Survival With Chemotherapy Alone for Hepatocellular Carcinoma (HCC) With Intra-Arterial Chemotherapy" <i>Proceedings of the American Society of Clinical Oncology Vol. 13</i> (March 1994), Abstract			
	Carr B.I. et al., "Phase II Study of Spherex (Degradable Starch Microspheres) Injected into the Hepatic Artery in Conjunction With Doxorubicin and Cisplatin in the Treatment of Advanced-Stage			
	Hepaocellular Carcinoma: Interim Analysis", Seminars in Oncology 24(2), Suppl 6 pp. 86-97-86-99 (April 1997)			
	Lai E.C.S., "Postoperative Adjuvant Chemotherapy After Curative Resection of Hepatocellular Carcinoma: A Randomized Controlled Trial", <i>Arch. Surg.</i> 133:183-188 (February 1998)			
	Ripamonti M. et al., "In Vivo Anti-Tumour Activity of FCE 23762, a Methoxymorpholinyl Derivative of Doxorubicin Active on Doxorubicin-Resistant Tumour Cells", Br. J. Cancer 65:703-707 (1992)			
	Ripamonti M. et al., "Morpholinylanthracyclines: Cytotoxicity and Antitumor Activity of Differently Modified Derivatives", <i>Investigational New Drugs</i> 14:139-146 (1996)			
	Capranico G. et al., "Influence of Structural Modifications at the 3' and 4' Positions of Doxorubicin on the Drug Ability to Trap Topoisomerase II and to Overcome Multidrug Resistance", <i>Molecular Pharmacology</i> 45:908-915 (1994)			
	Anthracycline in a Sensitive Small-	Methoxymorpholino Anthracycline and Cell Lung-Cancer Cell Line and its Muin-Resistant Counterparts", Cancer Change	ultidrug-Resistant but P-	
EXAMINER DATE CONSIDERED				
# EVAMINED. In	tial if reference considered, whether or not oits	tion is in conformance with MPED 600: draw I	la a discount objection 10 a at la	

* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION	Atty, Docket No.			
INTORMATION DISCLOSURE CITATION		Application No.		
	17815	09/786,998		
(Use several sheets if necessary)	Applicants			
(Ose several sheets if necessary)	Maria Adele Pacciarini et al.			
	Filing Date	Group Art Unit		
	June 14, 2001	1623		
OTUED (Including As	then Title Date Bestivers Deve Et	\		
OTHER (Including Author, Title, Date, Pertinent Pages, Etc.)				
Duran G.E. et al., "Differential Single-Versus Double-Strand DNA Breakage Produced by Doxorubicin				
and its Morpholinyl Analogues", (and its Morpholinyl Analogues", Cancer Chemother Pharmacol. 38:210-216 (1996);			
Geroni C. et al., "L1210 Cells Sele	Geroni C. et al., "L1210 Cells Selected for Resistance to Methoxymorpholinyl Doxorubicin Appear			
Specifically Resistant to this Class	Specifically Resistant to this Class of Morpholinyl Derivatives", Br. J. Cancer 69:315-319 (1994)			
Bakker M. et al., "Mechanisms for	Bakker M. et al., "Mechanisms for High Methoxymorpholino Doxorubicin Cytotoxicity in Doxorubicin-			
	Resistant Tumor Cell Lines", Int. J. Cancer 73:362-366 (1997)			
Bielack S.S. et al., "Structurally M	Bielack S.S. et al., "Structurally Modified Anthracyclines Retain Activity in a Cell Line With			
Simultaneous Typical and Atypica	Simultaneous Typical and Atypical Multidrug Resistance", Anticancer Research 15:1279-1284 (1995)			
Colleoni et al., "Arterial Chemoen	Colleoni et al., "Arterial Chemoembolization With Epirubicin in Unresectable Hepatocellular Carcinoma			
	in Cirrhosis", Ann. Oncol. Vol. 5(Suppl 8) (1994), Abstract			
Lai C.L. et al., "Doxorubicin Versi	Lai C.L. et al., "Doxorubicin Versus No Antitumor Therapy in Inoperable Hepatocellular Carcinoma. A			
Prospective Randomized Trial", C	Prospective Randomized Trial", Cancer Vol. 62(3):479-483 (August 1, 1988), Abstract			
Shepherd FA et al., "Treatment of	Shepherd FA et al., "Treatment of Primary Hepatocellular Carcinoma by Hepatic Arterial Infusion of 4'-			
Epirubicin (Eng.)", Reg Cancer Tr	Epirubicin (Eng.)", Reg Cancer Treat Vol. 3(4):197-201 (1990), Abstract			
Ono T. et al., "Adjuvant Chemothe	Ono T. et al., "Adjuvant Chemotherapy With Epirubicin and Carmofur After Radical Resection of			
Hepatocellular Carcinoma: A Pros	Hepatocellular Carcinoma: A Prospective Randomized Study", Semin Oncol. Vol. 24(2 Suppl 6):S6-18-			
	S6-25 (April 1997), Abstract			
Wassermann K. et al., "Effects of	Wassermann K. et al., "Effects of Morpholinyl Doxorubicins, Doxorubicin, and Actinomycin D on			
Mammalian DNA Topoisomerases	Mammalian DNA Topoisomerases I and II", Mol. Pharmacol. 38(1):38-45 (July 1, 1990), Abstract			
	Takayasu Y. et al., "Merits and Demerits of Arterially Administered Large-Dose Anticancer Agent,			
	Lipiodol Emulsion", Cancer and Chemotherapy 15(8-Part-II):2562-2567 (1988)			
	English-language machine translation of Russian Patent Application No. RU 2 065 307, published			
	August 20, 1996			
	International Search Report dated May 3, 2000 received from the European Patent Office from related			
International Patent Application No. PCT/EP99/06298				
EXAMINER	DATE CONSIDERED			
* EVAMINED. Initial if a formation and advantage of the first of the f				